

Recommendations for the Conduct, Reporting, Editing, and Publication of Scholarly Work in Medical Journals

Updated December 2016

7

- I. About the Recommendations
 - A. Purpose of the Recommendations
 - B. Who Should Use the Recommendations?
 - C. History of the Recommendations
- II. Roles and Responsibilities of Authors, Contributors, Reviewers, Editors, Publishers, and Owners
 - A. Defining the Role of Authors and Contributors
 - 1. Why Authorship Matters
 - 2. Who Is an Author?
 - 3. Non-Author Contributors
 - B. Author Responsibilities—Conflicts of Interest
 - 1. Participants
 - a. Authors
 - b. Peer Reviewers
 - c. Editors and Journal Staff
 - 2. Reporting Conflicts of Interest
 - C. Responsibilities in the Submission and Peer-Review Process
 - 1. Authors
 - a. Predatory Journals
 - 2. Journals
 - a. Confidentiality
 - b. Timeliness
 - c. Peer Review
 - d. Integrity
 - 3. Peer Reviewers
 - D. Journal Owners and Editorial Freedom
 - 1. Journal Owners
 - 2. Editorial Freedom
 - E. Protection of Research Participants
- III. Publishing and Editorial Issues Related to Publication in Medical Journals
 - A. Corrections and Version Control
 - B. Scientific Misconduct, Expressions of Concern, and Retraction
 - C. Copyright
 - D. Overlapping Publications
 - 1. Duplicate Submission
 - 2. Duplicate Publication
 - 3. Acceptable Secondary Publication
 - 4. Manuscripts Based on the Same Database
 - E. Correspondence
 - F. Fees
 - G. Supplements, Theme Issues, and Special Series
 - H. Sponsorship of Partnerships
 - I. Electronic Publishing
 - J. Advertising
 - K. Journals and the Media
 - L. Clinical Trial Registration
- IV. Manuscript Preparation and Submission
 - A. Preparing a Manuscript for Submission to a Medical Journal
 - 1. General Principles
 - 2. Reporting Guidelines
 - 3. Manuscript Sections
 - a. Title Page
 - b. Abstract
 - c. Introduction
 - d. Methods
 - i. Selection and Description of Participants
 - ii. Technical Information
 - iii. Statistics
 - e. Results
 - f. Discussion
 - g. References
 - i. General Considerations
 - ii. Style and Format
 - h. Tables
 - i. Illustrations (Figures)
 - j. Units of Measurement
 - k. Abbreviations and Symbols
 - B. Sending the Manuscript to the Journal

I. ABOUT THE RECOMMENDATIONS

A. Purpose of the Recommendations

ICMJE developed these recommendations to review best practice and ethical standards in the conduct and reporting of research and other material published in medical journals, and to help authors, editors, and others involved in peer review and biomedical publishing create and distribute accurate, clear, reproducible, unbiased medical journal articles. The recommendations may also provide useful insights into the medical editing and publishing process for the media, patients and their families, and general readers.

B. Who Should Use the Recommendations?

These recommendations are intended primarily for use by authors who might submit their work for publication to ICMJE member journals. Many non-ICMJE journals voluntarily use these recommendations (see www.icmje.org/journals.html). The ICMJE encourages that use but has no authority to monitor or enforce it. In all cases, authors should use these recommendations along with individual journals' instructions to authors. Authors should also consult guidelines for the reporting of specific study types (e.g., the CONSORT guidelines for the reporting of randomized trials); see <http://equator-network.org>.

Journals that follow these recommendations are encouraged to incorporate them into their instructions to

- i. Registration
- ii. Data Sharing

This archived document is no longer current. The current document is available at www.icmje.org.

authors and to make explicit in those instructions that they follow ICMJE recommendations. Journals that wish to be identified on the ICMJE website as following these recommendations should notify the ICMJE secretariat via e-mail at icmje@acponline.org. Journals that in the past have requested such identification but who no longer follow ICMJE recommendations should use the same means to request removal from this list.

The ICMJE encourages wide dissemination of these recommendations and reproduction of this document in its entirety for educational, not-for-profit purposes without regard for copyright, but all uses of the recommendations and document should direct readers to www.icmje.org for the official, most recent version, as the ICMJE updates the recommendations periodically when new issues arise.

C. History of the Recommendations

The ICMJE has produced multiple editions of this document, previously known as the Uniform Requirements for Manuscripts Submitted to Biomedical Journals (URMs). The URM was first published in 1978 as a way of standardizing manuscript format and preparation across journals. ~~Over the years, issues in publishing that went well beyond manuscript preparation arose, resulting in development of a number of Separate Statements on editorial policy. The entire Uniform Requirements document was revised in 1997; sections were updated in May 1999 and May 2000. In May 2001, the ICMJE revised the sections related to potential conflicts of interest. In 2003, the committee revised and reorganized the entire document and incorporated the Separate Statements into the text, and revised it again in 2010. Previous versions of this document can be found in the "Archives" section of www.icmje.org. Now renamed "Recommendations for the Conduct, Reporting, Editing, and Publication of Scholarly Work in Medical Journals" (ICMJE Recommendations), the document was revised in 2013, 2014, 2015, and the current version in 2016.~~

II. ROLES AND RESPONSIBILITIES OF AUTHORS, CONTRIBUTORS, REVIEWERS, EDITORS, PUBLISHERS, AND OWNERS

A. Defining the Role of Authors and Contributors

1. Why Authorship Matters

Authorship confers credit and has important academic, social, and financial implications. Authorship also implies responsibility and accountability for published work. The following recommendations are intended to ensure that contributors who have made substantive intellectual contributions to a paper are given credit as authors, but also that contributors credited as authors understand their role in taking responsibility and being accountable for what is published.

Because authorship does not communicate what contributions qualified an individual to be an author, some journals now request and publish information about the

contributions of each person named as having participated in a submitted study, at least for original research. Editors are strongly encouraged to develop and implement a contributorship policy. Such policies remove much of the ambiguity surrounding contributions, but leave unresolved the question of the quantity and quality of contribution that qualify an individual for authorship. The ICMJE has thus developed criteria for authorship that can be used by all journals, including those that distinguish authors from other contributors.

2. Who Is an Author?

The ICMJE recommends that authorship be based on the following 4 criteria:

1. Substantial contributions to the conception or design of the work; or the acquisition, analysis, or interpretation of data for the work; AND
2. Drafting the work or revising it critically for important intellectual content; AND
3. Final approval of the version to be published; AND
4. Agreement to be accountable for all aspects of the

~~work. Over the years, issues in publishing that went well beyond manuscript preparation arose, resulting in the development of separate statements, updates to the document, and its renaming as "Recommendations for the Conduct, Reporting, Editing, and Publication of Scholarly Work in Medical Journals" to reflect its broader scope. Previous versions of the document may be found in the "Archives" section of www.icmje.org.~~

status of authorship for those who deserve credit and can take responsibility for the work. The criteria are not intended for use as a means to disqualify colleagues from authorship who otherwise meet authorship criteria by denying them the opportunity to meet criterion #s 2 or 3. Therefore, all individuals who meet the first criterion should have the opportunity to participate in the review, drafting, and final approval of the manuscript.

The individuals who conduct the work are responsible for identifying who meets these criteria and ideally should do so when planning the work, making modifications as appropriate as the work progresses. It is the collective responsibility of the authors, not the journal to which the work is submitted, to determine that all people named as authors meet all four criteria; it is not the role of journal editors to determine who qualifies or does not qualify for authorship or to arbitrate authorship conflicts. If agreement cannot be reached about who qualifies for authorship, the institution(s) where the work was performed, not the journal editor, should be asked to investigate. If authors request removal or addition of an author after manuscript submission or publication, journal editors should

This archived document is no longer current. The current document is available at www.icmje.org.

seek an explanation and signed statement of agreement for the requested change from all listed authors and from the author to be removed or added.

The corresponding author is the one individual who takes primary responsibility for communication with the journal during the manuscript submission, peer review, and publication process, and typically ensures that all the journal's administrative requirements, such as providing details of authorship, ethics committee approval, clinical trial registration documentation, and gathering conflict of interest forms and statements, are properly completed, although these duties may be delegated to one or more co-authors. The corresponding author ~~should~~ be available throughout the submission and peer review process to respond to editorial queries in a timely way, and should be available after publication to respond to critiques of the work and cooperate with any requests from the journal for data or additional information should questions about the paper arise after publication. Although the corresponding author has primary responsibility for correspondence with the journal, the ICMJE recommends that editors send copies of all correspondence to all listed authors.

When a large multi-author group has conducted the work, the group ideally should decide who will be an author before the work is started and confirm who is an author before submitting the manuscript for publication. All members of the group named as authors should meet all four criteria for authorship, including approval of the final manuscript, and they should be able to take public responsibility for the work and should have full confidence in the accuracy and integrity of the work of other group authors. They will also be expected as individuals to complete conflict-of-interest disclosure forms.

Some large multi-author groups designate authorship by a group name, with or without the names of individuals. When submitting a manuscript authored by a group, the corresponding author should specify the group name if one exists, and clearly identify the group members who can take credit and responsibility for the work as authors. The byline of the article identifies who is directly responsible for the manuscript, and MEDLINE lists as authors whichever names appear on the byline. If the byline includes a group name, MEDLINE will list the names of individual group members who are authors or who are collaborators, sometimes called non-author contributors, if there is a note associated with the byline clearly stating that the individual names are elsewhere in the paper and whether those names are authors or collaborators.

3. Non-Author Contributors

Contributors who meet fewer than all 4 of the above criteria for authorship should not be listed as authors, but they should be acknowledged. Examples of activities that alone (without other contributions) do not qualify a contributor for authorship are acquisition of funding; general supervision of a research group or general administrative

support; and writing assistance, technical editing, language editing, and proofreading. Those whose contributions do not justify authorship may be acknowledged individually or together as a group under a single heading (e.g., "Clinical Investigators" or "Participating stigators"), and their contributions should be specified (e.g., "served as scientific advisors," "critically reviewed the study proposal," "collected data," "provided and cared for study patients," "participated in writing or technical editing of the manuscript").

Because acknowledgment may imply endorsement by acknowledged individuals of a study's data and conclusions, editors are advised to require that the corresponding author obtain written permission to be acknowledged from all acknowledged individuals.

B. Author Responsibilities—Conflicts of Interest

Public trust in the scientific process and the credibility of published articles depend in part on how transparently conflicts of interest are handled during the planning, implementation, writing, peer review, editing, and publication of scientific work.

A conflict of interest exists when professional judgment concerning a primary interest (such as patients' welfare or the validity of research) may be influenced by a secondary interest (such as financial gain). Perceptions of conflict of interest are as important as actual conflicts of interest.

Financial relationships (such as employment, consultancies, stock ownership or options, honoraria, patents, and paid expert testimony) are the most easily identifiable conflicts of interest and the most likely to undermine the credibility of the journal, the authors, and of science itself. However, conflicts can occur for other reasons, such as personal relationships or rivalries, academic competition, and intellectual beliefs. Authors should avoid entering in to agreements with study sponsors, both for-profit and non-profit, that interfere with authors' access to all of the study's data or that interfere with their ability to analyze and interpret the data and to prepare and publish manuscripts independently when and where they choose.

1. Participants

All participants in the peer-review and publication process—not only authors but also peer reviewers, editors, and editorial board members of journals—must consider their conflicts of interest when fulfilling their roles in the process of article review and publication and must disclose all relationships that could be viewed as potential conflicts of interest.

a. Authors

When authors submit a manuscript of any type or format they are responsible for disclosing all financial and personal relationships that might bias or be seen to bias their work. The ICMJE has developed a Form for Disclosure of Conflicts of Interest to facilitate and standardize

This archived document is no longer current. The current document is available at www.icmje.org.

authors' disclosures. ICMJE member journals require that authors use this form, and ICMJE encourages other journals to adopt it.

b. Peer Reviewers

Reviewers should be asked at the time they are asked to critique a manuscript if they have conflicts of interest that could complicate their review. Reviewers must disclose to editors any conflicts of interest that could bias their opinions of the manuscript, and should recuse themselves from reviewing specific manuscripts if the potential for bias exists. Reviewers must not use knowledge of the work they're reviewing before its publication to further their own interests.

c. Editors and Journal Staff

Editors who make final decisions about manuscripts should recuse themselves from editorial decisions if they have conflicts of interest or relationships that pose potential conflicts related to articles under consideration. Other editorial staff members who participate in editorial decisions must provide editors with a current description of their financial interests or other conflicts (as they might relate to editorial judgments) and recuse themselves from any decisions in which a conflict of interest exists. Editorial staff must not use information gained through working with manuscripts for private gain. Editors should publish regular disclosure statements about potential conflicts of interests related to the commitments of journal staff. Guest editors should follow these same procedures.

in their own

and those of their

2. Reporting Conflicts of Interest

Articles should be published with statements or supporting documents, such as the ICMJE conflict of interest form, declaring:

- Authors' conflicts of interest; and
- Sources of support for the work, including sponsor names along with explanations of the role of those sources if any in study design; collection, analysis, and interpretation of data; writing of the report; the decision to submit the report for publication; or a statement declaring that the supporting source had no such involvement; and
- Whether the authors had access to the study data with an explanation of the nature and extent of access, including whether access is ongoing.

To support the above statements, editors may request that authors of a study sponsored by a funder with a proprietary or financial interest in the outcome sign a statement, such as "I had full access to all of the data in this study and I take complete responsibility for the integrity of the data and the accuracy of the data analysis."

C. Responsibilities in the Submission and Peer-Review Process

1. Authors

Authors should abide by all principles of authorship and declaration of conflicts of interest detailed in section IIA and B of this document.

or Pseudo-

a. Predatory Journals

~~A growing number of entities are advertising themselves as "medical journals" yet do not function as such ("predatory journals"). Authors have a responsibility to evaluate the integrity, history, practices and reputation of the journals to which they submit manuscripts. Further guidance is available at <http://www.wame.org/about/principles-of-transparency-and-best-practice>.~~

A growing number of entities are advertising themselves as "scholarly medical journals" yet do not function as such. These journals ("predatory" or "pseudo-journals") accept and publish almost all submissions and charge article processing (or publication) fees, often informing authors about this after a paper's acceptance for publication. They often claim to perform peer review but do not and may purposefully use names similar to well-established journals. They may state that they are members of ICMJE but are not (see www.icmje.org for current members of the ICMJE) and that they follow the recommendations of organizations such as the ICMJE, COPE and WAME. Researchers must be aware of the existence of such entities and avoid submitting research to them for publication. Authors have a responsibility to evaluate the integrity, history, practices and reputation of the journals to which they submit manuscripts. Guidance from various organizations is available to help identify the characteristics of reputable peer-review journals (<http://www.wame.org/identifying-predatory-or-pseudo-journals> and <http://www.wame.org/about/principles-of-transparency-and-best-practice>). Seeking the assistance of scientific mentors, senior colleagues and others with many years of scholarly publishing experience may also be helpful.

This archived document is no longer current. The current document is available at www.icmje.org.

vealed to the author or anyone else without the reviewers' expressed written permission.

Confidentiality may have to be breached if dishonesty or fraud is alleged, but editors should notify authors or reviewers if they intend to do so and confidentiality must otherwise be honored.

b. Timeliness

Editors should do all they can to ensure timely processing of manuscripts with the resources available to them. If editors intend to publish a manuscript, they should attempt to do so in a timely manner and any planned delays should be negotiated with the authors. If a journal has no intention of proceeding with a manuscript, editors should endeavor to reject the manuscript as soon as possible to allow authors to submit to a different journal.

c. Peer Review

Peer review is the critical assessment of manuscripts submitted to journals by experts who are usually not part of the editorial staff. Because unbiased, independent, critical assessment is an intrinsic part of all scholarly work, including scientific research, peer review is an important extension of the scientific process.

The actual value of peer review is widely debated, but the process facilitates a fair hearing for a manuscript among members of the scientific community. More practically, it helps editors decide which manuscripts are suitable for their journals. Peer review often helps authors and editors improve the quality of reporting.

It is the responsibility of the journal to ensure that systems are in place for selection of appropriate reviewers. It is the responsibility of the editor to ensure that reviewers have access to all materials that may be relevant to the evaluation of the manuscript, including supplementary material for e-only publication, and to ensure that reviewer comments are properly assessed and interpreted in the context of their declared conflicts of interest.

A peer-reviewed journal is under no obligation to send submitted manuscripts for review, and under no obligation to follow reviewer recommendations, favorable or negative. The editor of a journal is ultimately responsible for the selection of all its content, and editorial decisions may be informed by issues unrelated to the quality of a manuscript, such as suitability for the journal. An editor can reject any article at any time before publication, including after acceptance if concerns arise about the integrity of the work.

Journals may differ in the number and kinds of manuscripts they send for review, the number and types of reviewers they seek for each manuscript, whether the review process is open or blinded, and other aspects of the review process. For this reason and as a service to authors, journals should publish a description of their peer-review process.

Journals should notify reviewers of the ultimate decision to accept or reject a paper, and should acknowledge

the contribution of peer reviewers to their journal. Editors are encouraged to share reviewers' comments with co-reviewers of the same paper, so reviewers can learn from each other in the review process.

As part of peer review, editors are encouraged to review research protocols, plans for statistical analysis if separate from the protocol, and/or contracts associated with project-specific studies. Editors should encourage authors to make such documents publicly available at the time of or after publication, before accepting such studies for publication. Some journals may require public posting of these documents as a condition of acceptance for publication.

Journal requirements for independent data analysis and for public data availability are in flux at the time of this revision, reflecting evolving views of the importance of data availability for pre- and post-publication peer review. Some journal editors currently request a statistical analysis of trial data by an independent biostatistician before accepting studies for publication. Others ask authors to say whether the study data are available to third parties to view and/or use/reanalyze, while still others encourage or require authors to share their data with others for review or reanalysis. Each journal should establish and publish their specific requirements for data analysis and posting in a place ^{that} which potential authors can easily access.

Some people believe that true scientific peer review begins only on the date a paper is published. In that spirit, medical journals should have a mechanism for readers to submit comments, questions, or criticisms about published articles, and authors have a responsibility to respond appropriately and cooperate with any requests from the journal for data or additional information should questions about the paper arise after publication (see Section III).

ICMJE believes investigators have a duty to maintain the primary data and analytic procedures underpinning the published results for at least 10 years. The ICMJE encourages the preservation of these data in a data repository to ensure their longer-term availability.

d. Integrity

Editorial decisions should be based on the relevance of a manuscript to the journal and on the manuscript's originality, quality, and contribution to evidence about important questions. Those decisions should not be influenced by commercial interests, personal relationships or agendas, or findings that are negative or that credibly challenge accepted wisdom. In addition, authors should submit for publication or otherwise make publicly available, and editors should not exclude from consideration for publication, studies with findings ^{that} are not statistically significant or that have inconclusive findings. Such studies may provide evidence that combined with that from other studies through meta-analysis might still help answer important questions, and a public record of such negative or incon-

This archived document is no longer current. The current document is available at www.icmje.org.

clusive findings may prevent unwarranted replication of effort or otherwise be valuable for other researchers considering similar work.

Journals should clearly state their appeals process and should have a system for responding to appeals and complaints.

3. Peer Reviewers

Manuscripts submitted to journals are privileged communications that are authors' private, confidential property, and authors may be harmed by premature disclosure of any or all of a manuscript's details.

Reviewers therefore should keep manuscripts and the information they contain strictly confidential. Reviewers must not publicly discuss authors' work and must not appropriate authors' ideas before the manuscript is published. Reviewers must not retain the manuscript for their personal use and should destroy copies of manuscripts after submitting their reviews.

Reviewers are expected to respond promptly to requests to review and to submit reviews within the time agreed. Reviewers' comments should be constructive, honest, and polite.

Reviewers should declare their conflicts of interest and recuse themselves from the peer-review process if a conflict exists.

D. Journal Owners and Editorial Freedom

1. Journal Owners

Owners and editors of medical journals share a common purpose, but they have different responsibilities, and sometimes those differences lead to conflicts.


It is the responsibility of medical journal owners to appoint and dismiss editors. Owners should provide editors at the time of their appointment with a contract that clearly states their rights and duties, authority, the general terms of their appointment, and mechanisms for resolving conflict. The editor's performance may be assessed using mutually agreed-upon measures, including but not necessarily limited to readership, manuscript submissions and handling times, and various journal metrics.

Owners should only dismiss editors for substantial reasons, such as scientific misconduct, disagreement with the long-term editorial direction of the journal, inadequate performance by agreed-upon performance metrics, or inappropriate behavior that is incompatible with a position of trust.

Appointments and dismissals should be based on evaluations by a panel of independent experts, rather than by a small number of executives of the owning organization. This is especially necessary in the case of dismissals because of the high value society places on freedom of speech within science and because it is often the responsibility of editors to challenge the status quo in ways that may conflict with the interests of the journal's owners.

A medical journal should explicitly state its governance

and relationship to a journal owner (eg, a sponsoring society).



2. Editorial Freedom

The ICMJE adopts the World Association of Medical Editors' definition of editorial freedom, which holds that editors-in-chief have full authority over the entire editorial content of their journal and the timing of publication of that content. Journal owners should not interfere in the evaluation, selection, scheduling, or editing of individual articles either directly or by creating an environment that strongly influences decisions. Editors should base editorial decisions on the validity of the work and its importance to the journal's readers, not on the commercial implications for the journal, and editors should be free to express critical but responsible views about all aspects of medicine without fear of retribution, even if these views conflict with the commercial goals of the publisher.

Editors-in-chief should also have the final say in decisions about which advertisements or sponsored content, including supplements, the journal will and will not carry, and they should have final say in use of the journal brand and in overall policy regarding commercial use of journal content.

Journals are encouraged to establish an independent editorial advisory board to help the editor establish and maintain editorial policy. Editors should seek input as needed from a broad array of advisers, such as reviewers, editorial staff, an editorial board, and readers, to support editorial decisions and potentially controversial expressions of opinion, and owners should ensure that appropriate insurance is obtained in the event of legal action against the editors, and should ensure that legal advice is available when necessary. If legal problems arise, the editor should inform their legal adviser and their owner and/or publisher as soon as possible. Editors should defend the confidentiality of authors and peer-reviewers (names and reviewer comments) in accordance with ICMJE policy (see Section II C.2.a). Editors should take all reasonable steps to check the facts in journal commentary, including that in news sections and social media postings, and should ensure that staff working for the journal adhere to best journalistic practices including contemporaneous note-taking and seeking a response from all parties when possible before publication. Such practices in support of truth and public interest may be particularly relevant in defense against legal allegations of libel.

To secure editorial freedom in practice, the editor should have direct access to the highest level of ownership, not to a delegated manager or administrative officer.

Editors and editors' organizations are obliged to support the concept of editorial freedom and to draw major transgressions of such freedom to the attention of the international medical, academic, and lay communities.

This archived document is no longer current. The current document is available at www.icmje.org.

E. Protection of Research Participants

~~When reporting research involving human data, authors should indicate whether the procedures followed have been assessed by the responsible review committee (institutional and national), or if no formal ethics committee is available, were in accordance with the Helsinki Declaration as revised in 2013 (www.wma.net/en/30publications/10policies/b3/index.html).~~ If doubt exists whether the research was conducted in accordance with the Helsinki Declaration, the authors must explain the rationale

local, regional, or national

and demonstrate that the institutional review board approved the doubtful aspects of the study. Approval by a responsible review committee does not preclude editors from forming their own judgment whether the conduct of the study is appropriate.

body

Patients have a right to privacy that should not be violated without informed consent. Identifying information, including names, initials, or hospital numbers, should not be published in written descriptions, photographs, or pedigrees unless the information is essential for scientific purposes and the patient (or parent or guardian) gives written informed consent for publication. Informed consent for this purpose requires that an identifiable patient be shown the manuscript to be published. Authors should disclose to these patients whether any potential identifiable material might be available via the Internet as well as in print after publication. Patient consent should be written and archived with the journal, the authors, or both, as dictated by local regulations or laws. Applicable laws vary from locale to locale, and journals should establish their own policies with legal guidance. Since a journal that archives the consent will be aware of patient identity, some journals may decide that patient confidentiality is better guarded by having the author archive the consent and instead providing the journal with a written statement that attests that they have received and archived written patient consent.

Nonessential identifying details should be omitted. Informed consent should be obtained if there is any doubt that anonymity can be maintained. For example, masking the eye region in photographs of patients is inadequate protection of anonymity. If identifying characteristics are de-identified, authors should provide assurance, and editors should so note, that such changes do not distort scientific meaning.

The requirement for informed consent should be included in the journal's instructions for authors. When informed consent has been obtained, it should be indicated in the published article.

When reporting experiments on animals, authors should indicate whether institutional and national standards for the care and use of laboratory animals were followed. Further guidance on animal research ethics is available from the International Association of Veterinary Editors' Consensus Author Guidelines on Animal Ethics and Welfare (http://veteditors.org/ethicsconsensusguidelines.html).

All investigators should ensure that the planning conduct and reporting of human research are in accordance with the Helsinki Declaration as revised in 2013 (<https://www.wma.net/policies-post/wma-declaration-of-helsinki-ethical-principles-for-medical-research-involving-human-subjects/>). All authors should seek approval to conduct research from an independent local, regional or national review body (e.g., ethics committee, institutional review board).

When submitting a new publication rather than a revision of a previously published article.

If a correction is needed, journals should follow these minimum standards:

- The journal should publish a correction notice as soon as possible detailing changes from and citing the original publication; the correction should be on an electronic or numbered print page that is included in an electronic or a print Table of Contents to ensure proper indexing.
- The journal should also post a new article version with details of the changes from the original version and the date(s) on which the changes were made.
- The journal should archive all prior versions of the article. This archive can be either directly accessible to readers or can be made available to the reader on request.
- Previous electronic versions should prominently note that there are more recent versions of the article.
- The citation should be to the most recent version.

Pervasive errors can result from a coding problem or a miscalculation and may result in extensive inaccuracies throughout an article. If such errors do not change the direction or significance of the results, interpretations, and conclusions of the article, a correction should be published that follows the minimum standards noted above.

Errors serious enough to invalidate a paper's results and conclusions may require retraction. However, retraction with republication (also referred to as "replacement") can be considered in cases where honest error (e.g., a misclassification or miscalculation) leads to a major change in the direction or significance of the results, interpretations, and conclusions. If the error is judged to be unintentional, the underlying science appears valid, and the changed version of the paper survives further review and editorial scrutiny, then retraction with republication of the changed paper, with an explanation, allows full correction of the scientific literature. In such cases, it is helpful to show the extent of the changes in supplementary material or in an appendix, for complete transparency.

B. Scientific Misconduct, Expressions of Concern, and Retraction

Scientific misconduct includes but is not necessarily limited to data fabrication; data falsification including deceptive manipulation of images, plagiarism. Some people consider failure to publish the results of clinical trials

This archived document is no longer current. The current document is available at www.icmje.org.

and other human studies a form of scientific misconduct. While each of these practices is problematic, they are not equivalent. Each situation requires individual assessment by relevant stakeholders. When scientific misconduct is alleged, or concerns are otherwise raised about the conduct or integrity of work described in submitted or published papers, the editor should initiate appropriate procedures detailed by such committees such as the Committee on Publication Ethics (COPE) (publicationethics.org/resources/flowcharts) and may choose to publish an expression of concern pending the outcomes of those procedures. If the procedures involve an investigation at the authors' institution, the editor should seek to discover the outcome of that investigation, notify readers of the outcome if appropriate, and if the investigation proves scientific misconduct, publish a retraction of the article. There may be circumstances in which no misconduct is proven, but an exchange of letters to the editor could be published to highlight matters of debate to readers.

Expressions of concern and retractions should not simply be a letter to the editor. Rather, they should be prominently labelled, appear on an electronic or numbered print page that is included in an electronic or a print Table of Contents to ensure proper indexing, and include in their heading the title of the original article. Online, the retraction and original article should be linked in both directions and the retracted article should be clearly labelled as retracted in all its forms (Abstract, full text, PDF). Ideally, the authors of a retraction should be the same as those of the article, but if they are unwilling or unable the editor may under certain circumstances accept retractions by other responsible persons, or the editor may be the sole author of the retraction or expression of concern. The text of the retraction should explain why the article is being retracted and include a complete citation reference to that article. Retracted articles should remain in the public domain and be clearly labelled as retracted.

The validity of previous work by the author of a fraudulent paper cannot be assumed. Editors may ask the author's institution to assure them of the validity of other work published in their journals, or they may retract it. If this is not done, editors may choose to publish an announcement expressing concern that the validity of previously published work is uncertain.

The integrity of research may also be compromised by inappropriate methodology that could lead to retraction.

See COPE flowcharts for further guidance on retractions and expressions of concern. See Section IV.g.i. for guidance about avoiding referencing retracted articles.

C. Copyright

Journals should make clear the type of copyright under which work will be published, and if the journal retains copyright, should detail the journal's position on the transfer of copyright for all types of content, including audio, video, protocols, and data sets. Medical journals may ask

authors to transfer copyright to the journal. Some journals require transfer of a publication license. Some journals do not require transfer of copyright and rely on such vehicles as Creative Commons licenses. The copyright status of articles in a given journal can vary: Some content cannot be copyrighted (for example, articles written by employees of some governments in the course of their work). Editors may waive copyright on e.g. ent, and some content may be protected under other agreements.

D. Overlapping Publications

1. Duplicate Submission

Authors should not submit the same manuscript, in the same or different languages, simultaneously to more than one journal. The rationale for this standard is the potential for disagreement when two (or more) journals claim the right to publish a manuscript that has been submitted simultaneously to more than one journal, and the possibility that two or more journals will unknowingly and unnecessarily undertake the work of peer review, edit the same manuscript, and publish the same article.

2. Duplicate and Prior Publication

Duplicate publication is publication of a paper that overlaps substantially with one already published, without clear, visible reference to the previous publication. Prior publication may include release of information in the public domain.

Readers of medical journals deserve to be able to trust that what they are reading is original unless there is a clear statement that the author and editor are intentionally republishing an article (which might be considered for historic or landmark papers, for example). The bases of this position are international copyright laws, ethical conduct, and cost-effective use of resources. Duplicate publication of original research is particularly problematic because it can result in inadvertent double-counting of data or inappropriate weighting of the results of a single study, which distorts the available evidence.

When authors submit a manuscript reporting work that has already been reported in large part in a published article or is contained in or closely related to another paper that has been submitted or accepted for publication elsewhere, the letter of submission should clearly say so and the authors should provide copies of the related material to help the editor decide how to handle the submission. See also Section IV.B.

This recommendation does not prevent a journal from considering a complete report that follows publication of a preliminary report, such as a letter to the editor, a preprint, or an abstract or poster displayed at a scientific meeting. It also does not prevent journals from considering a paper that has been presented at a scientific meeting but was not published in full, or that is being considered for publication in proceedings or similar format. Press reports of scheduled meetings are not usually regarded as breaches of

This archived document is no longer current. The current document is available at www.icmje.org.

this rule, but they may be if additional data tables or figures enrich such reports. Authors should also consider how dissemination of their findings outside of scientific presentations at meetings may diminish the priority journal editors assign to their work.

In the event of a public health emergency (as defined by public health officials), information with immediate implications for public health should be disseminated without concern that this will preclude subsequent consideration for publication in a journal.

Sharing with public media, government agencies, or manufacturers the scientific information described in a paper or a letter to the editor that has been accepted but not yet published violates the policies of many journals. Such reporting may be warranted when the paper or letter describes major therapeutic advances; reportable diseases; or public health hazards, such as serious adverse effects of drugs, vaccines, other biological products, medical devices. This reporting, whether in print or online, should not jeopardize publication, but should be discussed with and agreed upon by the editor in advance when possible.

The ICMJE will not consider as prior publication the posting of trial results in any registry that meets the criteria noted in Section III.L. if results are limited to a brief (500 word) structured abstract or tables (to include patients enrolled, key outcomes, and adverse events). The ICMJE encourages author **participants** consent with the registration that indicates that the results have not yet been published in a peer-reviewed journal, and to update the results registry with the full journal citation when the results are published.

Editors of different journals may together decide to simultaneously or jointly publish an article if they believe that doing so would be in the best interest of public health. However, the National Library of Medicine (NLM) indexes all such simultaneously published joint publications separately, so editors should include a statement making the simultaneous publication clear to readers.

Authors who attempt duplicate publication with **e.g.** such notification should expect at least prompt rejection of the submitted manuscript. If the editor was not aware of the violations and the article has already been published, then the article might warrant retraction with or without the author's explanation or approval.

See COPE flowcharts for further guidance on handling duplicate publication.

3. Acceptable Secondary Publication

Secondary publication of material published in other journals or online may be justifiable and beneficial, especially when intended to disseminate important information to the widest possible audience (e.g., guidelines produced by government agencies and professional organizations in the same or a different language). Secondary publication

for various other reasons may also be justifiable provided the following conditions are met:

1. The authors have received approval from the editors of both journals (the editor concerned with secondary publication must have access to the primary version).

2. The priority of the primary publication is respected by a publication interval negotiated by both editors with the authors.

3. The paper for secondary publication is intended for a different group of readers; an abbreviated version could be sufficient.

4. The secondary version faithfully reflects the data and interpretations of the primary version.

5. The secondary version informs readers, peers, and documenting agencies that the paper has been published in whole or in part elsewhere—for example, with a note that might read, “This article is based on a study first reported in the [journal title, with full reference]”—and the secondary version cites the primary reference.

6. The title of the secondary publication should indicate that it is a secondary publication (complete or abridged republication or translation) of a primary publication. Of note, the NLM does not consider translations to be “republications” and does not cite or index them when the original article was published in a journal that is indexed in MEDLINE.

When the same journal simultaneously publishes an article in multiple languages, the MEDLINE citation will note the multiple languages (for example, Angelo M. Journal networking in **e.g.**; a challenge to be shared. *Rev Esc Enferm USP*. 2011 Dec 45[6]:1281-2,1279-80,1283-4. Article in English, Portuguese, and Spanish. No abstract available. PMID 22241182).

4. Manuscripts Based on the Same Database

If editors receive manuscripts from separate research groups or from the same group analyzing the same data set (for example, from a public database, or systematic reviews or meta-analyses of the same evidence), the manuscripts should be considered independently because they may differ in their analytic methods, conclusions, or both. If the data interpretation and conclusions are similar, it may be reasonable although not mandatory for editors to give preference to the manuscript submitted first. Editors might consider publishing more than one manuscript that overlap in this way because different analytical approaches may be complementary and equally valid, but manuscripts based upon the same dataset should add substantially to each other to warrant consideration for publication as separate papers, with appropriate citation of previous publications from the same dataset to allow for transparency.

Secondary analyses of clinical trial data should cite any primary publication, clearly state that it contains secondary analyses/results, and use the same identifying trial registration number as the primary trial.

and unique, persistent dataset identifier

This archived document is no longer current. The current document is available at www.icmje.org.

Sometimes for large trials it is planned from the beginning to produce numerous separate publications regarding separate research questions but using the same original patient sample. In this case authors may use the original single trial registration number, if all the outcome parameters were **participant** original registration. If the authors registered several substudies as separate entries in, for example, clinicaltrials.gov, then the unique trial identifier should be given for the study in question, The main issue is transparency, so no matter what model is used it should be obvious for the reader.

E. Correspondence

Medical journals should provide readers with a mechanism for submitting comments, questions, or criticisms about published articles, usually but not necessarily always through a correspondence section or online forum. The authors of articles discussed in correspondence or an online forum have a responsibility to respond to substantial criticisms of their work using those same mechanisms and should be asked by editors to respond. Authors of correspondence should be asked to declare any competing or conflicting interests.

Correspondence may be edited for length, grammatical correctness, and journal style. Alternatively, editors may choose to make available to readers unedited correspondence, for example, via an online commenting system. Such commenting is not indexed in Medline unless it is subsequently published on a numbered electronic or print page. However the journal handles correspondence, it should make known its practice. In all instances, editors must make an effort to screen discourteous, inaccurate, or libellous comments.

Responsible debate, critique and disagreement are important features of science, and journal editors should encourage such discourse ideally within **their** own journals about the material they have published. Editors, however, have the prerogative to reject correspondence that is irrelevant, uninteresting, or lacking cogency, but they also have a responsibility to allow a range of opinions to be expressed and to promote debate.

In the interests of fairness and to keep correspondence within manageable proportions, journals may want to set time limits for responding to published material and for debate on a given topic.

F. Fees

Journals should be transparent about their types of revenue streams. Any fees or charges that are required for manuscript processing and/or publishing materials in the journal shall be clearly stated in a place that is easy for potential authors to find prior to submitting their manuscripts for review or explained to authors before they begin preparing their manuscript for submission (http://publicationethics.org/files/u7140/Principles_of_Transparency_and_Best_Practice_in_Scholarly_Publishing.pdf).

G. Supplements, Theme Issues, and Special Series

Supplements are collections of papers that deal with related issues or topics, are published as a separate issue of the journal or as part of a regular issue, and may be funded by sources other than the journal's publisher. Because funding sources can bias the content of supplements through the choice of topics and viewpoints, journals should adopt the following principles, which also apply to theme issues or special series that have external funding and/or guest editors:

1. The journal editor must be given and must take full responsibility for the policies, practices, and content of supplements, including complete control of the decision to select authors, peer reviewers, and content for the supplement. Editing by the funding organization should not be permitted.

2. The journal editor has the right to appoint one or more external editors of the supplement and must take responsibility for the work of those editors.

3. The journal editor must retain the authority to send supplement manuscripts for external peer review and to reject manuscripts submitted for the supplement with or without external review. These conditions should be made known to authors and any external editors of the supplement before beginning editorial work on it.

4. The source of the idea for the supplement, sources of funding for the supplement's research and publication, and products of the funding source related to content considered in the supplement should be clearly stated in the introductory material.

5. Advertising in supplements should follow the same policies as those of the primary journal.

6. Journal editors must enable readers to distinguish readily between ordinary editorial pages and supplement pages.

7. Journal and supplement editors must not accept personal favors or direct remuneration from sponsors of supplements.

8. Secondary publication in supplements (republication of papers published elsewhere) should be clearly identified by the citation of the original paper and by the title.

9. The same principles of authorship and disclosure of potential conflicts of interest discussed elsewhere in this document should be applied to supplements.

H. Sponsorship or Partnership

Various entities may seek interactions with journals or editors in the form of sponsorships, partnerships, meetings, or other types of activities. To preserve editorial independence, these interactions should be governed by the same principles outlined above for Supplements, Theme Issues and Special Series (Section III.G).

I. Electronic Publishing

Most medical journals are now published in electronic as well as print versions, and some are published only in electronic form. Principles of print and electronic publish-

This archived document is no longer current. The current document is available at www.icmje.org.

ing are identical, and the recommendations of this document apply equally to both. However, electronic publishing provides opportunities for versioning and raises issues about link stability and content preservation that are addressed here.

Recommendations for corrections and versioning are detailed in Section III.A.

Electronic publishing allows linking to sites and resources beyond journals over which journal editors have no editorial control. For this reason, and because links to external sites could be perceived as implying endorsement of those sites, journals should be cautious about external linking. When a journal does link to an external site, it should state that it does not endorse or take responsibility or liability for any content, advertising, products, or other materials on the linked sites, and does not take responsibility for the sites' availability.

Permanent preservation of journal articles on a journal's website, or in an independent archive or a credible repository is essential for the historical record. Removing an article from a journal's website in its entirety is almost never justified. Copies of the article may have been downloaded even if its online posting was brief. Such archives should be freely accessible or accessible to archive members. Deposition in multiple archives is encouraged. However, if necessary for legal reasons (e.g., libel action), the URL for the removed article must contain a detailed reason for the removal, and the article must be retained in the journal's internal archive.

Permanent preservation of a journal's total content is the responsibility of the journal publisher, who in the event of journal termination should be certain the journal files are transferred to a responsible third party who can make the content available.

Journal websites should post the date that nonarticle web pages, such as those listing journal staff, editorial board members, and instructions for authors, were last updated.

J. Advertising

Most medical journals carry advertising, which generates income for their publishers, but journals should not be dominated by advertisements, and advertising must not be allowed to influence editorial decisions.

Journals should have formal, explicit, written policies for advertising in both print and electronic versions. Best practice prohibits selling advertisements intended to be juxtaposed with editorial content on the same product. Advertisements should be clearly identifiable as advertisements. Editors should have full and final authority for approving print and online advertisements and for enforcing advertising policy.

Journals should not carry advertisements for products proven to be seriously harmful to health. Editors should ensure that existing regulatory or industry standards for advertisements specific to their country are enforced, or

develop their own standards. The interests of organizations or agencies should not control classified and other nondisplay advertising, except where required by law. Editors should consider all criticisms of advertisements for publication.

K. Journals and the Media

Journals' interactions with media should balance competing priorities. The general public has a legitimate interest in all journal content and is entitled to important information within a reasonable amount of time, and editors have a responsibility to facilitate that. However media reports of scientific research before it has been peer-reviewed and fully vetted may lead to dissemination of inaccurate or premature conclusions, and doctors in practice need to have research reports available in full detail before they can advise patients about the reports' conclusions.

An embargo system has been established in some countries and by some journals to assist this balance, and to prevent publication of stories in the general media before publication of the original research in the journal. For the media, the embargo creates a "level playing field," which most reporters and writers appreciate since it minimizes the pressure on them to publish stories before competitors when they have not had time to prepare carefully. Consistency in the timing of public release of biomedical information is also important in minimizing economic chaos, since some articles contain information that has potential to influence financial markets. The ICMJE acknowledges criticisms of embargo systems as being self-serving of journals' interests and an impediment to rapid dissemination of scientific information, but believe the benefits of the systems outweigh their harms.

The following principles apply equally to print and electronic publishing and may be useful to editors as they seek to establish policies on interactions with the media:

- Editors can foster the orderly transmission of medical information from researchers, through peer-reviewed journals, to the public. This can be accomplished by an agreement with authors that they will not publicize their work while their manuscript is under consideration or awaiting publication and an agreement with the media that they will not release stories before publication of the original research in the journal, in return for which the journal will cooperate with them in preparing accurate stories by issuing, for example, a press release.

- Editors need to keep in mind that an embargo system works on the honor system—no formal enforcement or policing mechanism exists. The decision of a significant number of media outlets or biomedical journals not to respect the embargo system would lead to its rapid dissolution.

- Notwithstanding authors' belief in their work, very little medical research has such clear and urgently important clinical implications for the public's health that the news must be released before full publication in a journal.

This archived document is no longer current. The current document is available at www.icmje.org.

When such exceptional circumstances occur, the appropriate authorities responsible for public health should decide whether to disseminate information to physicians and the media in advance and should be responsible for the decision. If the author and the appropriate authorities have a manuscript considered by a particular journal, the editor should be consulted before any public release. If editors acknowledge the need for immediate release, they should waive their policies limiting prepublication publicity.

- Policies designed to limit prepublication publicity should not apply to accounts in the media of presentations at scientific meetings or to the abstracts from these meetings (see Duplicate Publication). Researchers who present their work at a scientific meeting should feel free to discuss their presentations with reporters but should be discouraged from offering more detail about their study than was presented in the talk, or should consider how giving such detail might diminish the priority journal editors assign to their work (see Duplicate Publication).

- When an article is close to being published, editors or journal staff should help the media prepare accurate reports by providing news releases, answering questions, supplying advance copies of the article, or referring reporters to appropriate experts. This assistance should be contingent on the media's cooperation in timing the release of a story to coincide with publication.

L. Clinical Trial Registration

The ICMJE's clinical trial registration policy is detailed in a series of editorials (see www.icmje.org/update.html) and a frequently asked questions page (www.icmje.org/faq_clinical.html).

Briefly, the ICMJE requires medical journal editors require, in a public trials registry at or before patient enrollment as a condition of publication. Editors requesting inclusion on the ICMJE website list of public clinical trials should refer to the ICMJE guidance (www.icmje.org/journals.htm). The listing implies enforcement of the ICMJE clinical trial registration policy.

The ICMJE defines a clinical trial as an intervention that prospectively assigns people or a group of people to an intervention, with or without concurrent comparison or control groups, to study the cause and effect relationship between a health-related intervention and a health outcome. Health-related interventions are those used to modify a biomedical or health-related outcome; examples include drugs, surgical procedures, devices, behavioural treatments, educational programs, dietary interventions, quality improvement interventions, and process-of-care changes. Health outcomes are any biomedical or health-related measures obtained in patients or participants, including pharmacokinetic measures and adverse events. The ICMJE does not define the timing of first patient enrollment, but best practice dictates registration by the time of first patient consent.

ment, but best practice dictates registration by the time of first patient consent.

The ICMJE accepts registration in any registry that registers in the WHO International Clinical Trials Registry Platform (ICTRP) (www.who.int/ictrp/network/primary/en/index.html) or in ClinicalTrials.gov, which is a data provider to the WHO ICTRP. The ICMJE endorses these registries because they meet several criteria. They are accessible to the public at no charge, open to all prospective registrants, managed by a not-for-profit organization, have a mechanism to ensure the validity of the registration data, and are electronically searchable. An acceptable registry must include the minimum 20-item trial registration dataset (<http://prsinfo.clinicaltrials.gov/train-trainer/WHO-ICMJE-ClinTrialsgov-Cross-Ref.pdf> or www.who.int/ictrp/network/trds/en/index.html) at the time of registration and before enrollment of the first participant. The ICMJE considers inadequate trial registrations missing any of the 20 data fields or those that have fields that contain uninformative information. Although not a required item, the ICMJE encourages authors to include a statement that indicates that the results have not yet been published in a peer-reviewed journal, and to update the registration with the full results, or registrations that are not made publicly accessible such as phase I trials submitted to the EU-CTR.

The purpose of clinical trial registration is to prevent unnecessary duplication of research, to help patients and clinicians make informed decisions about or ongoing interventions, and to help give ethics review boards considering approval of studies a view of similar work and data relevant to the research they are considering. Retrospective registration is not required, for example at the time of manuscript submission, but it is encouraged for one of these purposes. Those purposes apply also to non-trial research, for example observational research. For that reason, the ICMJE encourages registration of non-trial research with non-trial designs, but because the exposure to intervention in non-trial research is not dictated by the investigators, the ICMJE does not require it.

Secondary data analyses of primary (parent) clinical trials should not be registered as separate clinical trials, but should reference the trial registration number of the primary trial.

The ICMJE encourages posting of clinical trial results in clinical trial registries but does not require it. The ICMJE will not consider as prior publication the posting of trial results in any registry that meets the criteria if results are limited to a brief (500 word) structured abstract or tables (to include patients enrolled, key outcomes, and adverse events).

The ICMJE recommends that journals publish the trial registration number at the end of the abstract. The baseline characteristics, primary and secondary outcomes, that, whenever a registration number is listed this number the first time they use a trial acronym to refer either to the trial they are

The ICMJE expects authors to ensure that they have met the requirements of their funding and regulatory agencies regarding aggregate clinical trial results reporting in clinical trial registries, and encourages registry results reporting even when not required. It is the authors', and not the journal editors', responsibility to explain any discrepancies between results reported in registries and journal publications.

participant

publicly accessible

or registrations that are not made publicly accessible such as phase I trials submitted to the EU-CTR

trial participants

baseline characteristics, primary and secondary

participant

This archived document is no longer current. The current document is available at www.icmje.org.

Annotate this document to assist in identifying the document for the Conduct, Reporting

reporting or to the manuscript.

Editors may be involved in a fair exception to this policy. If an exception to prospective registration is made, trials must be registered and the authors should indicate in the publication when registration was completed and why it was delayed. Editors should publish a statement indicating why an exception was allowed. The ICMJE emphasizes that such exceptions should be rare, and that authors failing to prospectively register a trial risk its inadmissibility to our journals.

Because of the importance of prospective trial registration, if an exception to this policy



IV. MANUSCRIPT PREPARATION AND SUBMISSION

A. Preparing a Manuscript for Submission to a Medical Journal

1. General Principles

The text of articles reporting original research is usually divided into Introduction, Methods, Results, and Discussion sections. This so-called "IMRAD" structure is not an arbitrary publication format but a reflection of the process of scientific discovery. Articles often need subheadings within these sections to further organize their content. Other types of articles, such as meta-analyses, may require different formats, while case reports, narrative reviews, and editorials may have less structured or unstructured formats.

Electronic formats have created opportunities for adding details or sections, layering information, cross-linking, or extracting portions of articles in electronic versions. Supplementary electronic-only material should be submitted and sent for peer review simultaneously with the primary manuscript.

2. Reporting Guidelines

Reporting guidelines have been developed for different study designs; examples include CONSORT (www.consort-statement.org) for randomized trials, STROBE for observational studies (http://strobe-statement.org/), PRISMA for systematic reviews and meta-analyses (http://prisma-statement.org/), and STARD for studies of diagnostic accuracy (www.stard-statement.org/). Journals are encouraged to ask authors to follow these guidelines because they help authors describe the study in enough detail for it to be evaluated by editors, reviewers, readers, and other researchers evaluating the medical literature. Authors of review manuscripts are encouraged to describe the methods used for locating, selecting, extracting, and synthesizing data; this is mandatory for systematic reviews. Good sources for reporting guidelines are the EQUATOR Network (www.equator-network.org/home/) and the NLM's Research Reporting Guidelines and Initiatives (www.nlm.nih.gov/services/research_report_guide.html).

ii. Data Sharing

The ICMJE's data sharing statement policy is detailed in an editorial (see Updates and Editorials [www.icmje.org/update.html]).

1. As of 1 July 2018 manuscripts submitted to ICMJE journals that report the results of clinical trials must contain a data sharing statement as described below.
2. Clinical trials that begin enrolling participants on or after 1 January 2019 must include a data sharing plan in the trial's registration. The ICMJE's policy regarding trial registration is explained at www.icmje.org/recommendations/browse/publishing-and-editorial-issues/clinical-trial-registration.html. If the data sharing plan changes after registration, this should be reflected in the statement submitted and published with the manuscript, and updated in the registry record.

¶ Data sharing statements must indicate the following: whether individual deidentified participant data (including data dictionaries) will be shared; what data in particular will be shared; whether additional, related documents will be available (e.g., study protocol, statistical analysis plan, etc.); when the data will become available and for how long; and by what access criteria data will be shared (including with whom, for what types of analyses, and by what mechanism). Illustrative examples of data sharing statements that would meet these requirements are provided in the **Table**.

¶ Authors of secondary analyses using shared data must attest that their use was in accordance with the terms (if any) agreed to upon their receipt. They must also reference the source of the data using its unique, persistent identifier to provide appropriate credit to those who generated it and allow searching for the studies it has supported. Authors of secondary analyses must explain completely how theirs differ from previous analyses. In addition, those who generate and then share clinical trial data sets deserve substantial credit for their efforts. Those using data collected by others should seek collaboration with those who collected the data. As collaboration will not always be possible, practical, or desired, the efforts of those who generated the data must be **recognized**.

Tables and Figures occupy space, to assess if the

t

f

This archived document is no longer current. The current document is available at www.icmje.org.

information provided by the figures and tables warrants the paper's length and if the manuscript fits within the journal's space limits.

Conflict of Interest declaration. Conflict of interest information for each author needs to be part of the manuscript; each journal should develop standards with regard to the form the information should take and where it will be posted. The ICMJE has developed a uniform conflict of interest disclosure form for use by ICMJE member journals (www.icmje.org/coi_disclosure.pdf) and the ICMJE encourages other journals to adopt it. Despite availability of the form, editors may require conflict of interest declarations on the manuscript page to save the work of collecting forms from each author prior to making an editorial decision or to save reviewers and readers the work of reading each author's form.

b. Abstract

Original research, systematic reviews, and meta-analyses require structured abstracts. The abstract should provide the context or background for the study and should state the study's purpose, basic procedures (selection of study participants, settings, measurements, analytical methods), main findings (giving specific effect sizes and their statistical and clinical significance, if possible), and principal conclusions. It should emphasize new and important aspects of the study or observations, note important limitations, and not overinterpret findings. Clinical trial abstracts should include items that the CONSORT group has identified as essential (www.consort-statement.org/resources/downloads/extensions/consort-extension-for-abstracts-2008.pdf). Funding sources should be listed separately after the Abstract to facilitate proper display and indexing for search retrieval by MEDLINE.

Because abstracts are the only substantive portion of the article indexed in many electronic databases, and the only portion many readers read, authors need to ensure that they accurately reflect the content of the article. Unfortunately, information in abstracts often differs from that in the text. Authors and editors should work in the process of revision and review to ensure that information is consistent in both places. The format required for structured abstracts differs from journal to journal, and some journals use more than one format; authors need to prepare their abstracts in the format specified by the journal they have chosen.

The ICMJE recommends that journals publish the clinical trial registration number at the end of the abstract. The ICMJE also recommends that, when a registration number is available, authors list that number the first time they use it and/or are being used in a secondary analysis. If the data have been deposited in a public repository, authors should state at the end of the abstract the data set name, repository name and number.

by an independent local, regional, or national review body (e.g., ethics committee, institutional review board). If doubt exists whether the research was conducted in accordance with the Helsinki Declaration, the authors must explain the rationale for their approach and demonstrate that the local, regional, or national review body explicitly approved the doubtful aspects of the study. See Section II.E.

(that is, state the hypothesis clearly per conclusions

The guiding principle of the Methods section should be clarity about how and why a study was done in a particular way. The Methods section should aim to be sufficiently detailed such that others with access to the data would be able to reproduce the results. In general, the section should include only information that was available at the time the plan or protocol for the study was being written; all information obtained during the study belongs in the Results section. If an organization was paid or otherwise contracted to help conduct the research (examples include data collection and management), then this should be detailed in the methods.

The Methods section should include a statement indicating that the research was approved or exempted from the need for review by the responsible review committee (institutional or national). If no formal ethics committee is available, a statement indicating that the research was conducted according to the principles of the Declaration of Helsinki should be included.

i. Selection and Description of Participants

Clearly describe the selection of observational or experimental participants (healthy individuals or patients, including controls), including eligibility and exclusion criteria and a description of the source population. Because the relevance of such variables as age, sex, or ethnicity is not always known at the time of study design, researchers should aim for inclusion of representative populations into all study types and at a minimum provide descriptive data for these and other relevant demographic variables. Ensure correct use of the terms sex (when reporting biological factors) and gender (identity, psychosocial or cultural factors), and, unless inappropriate, report the sex and/or gender of study participants, the sex of animals or cells, and describe the methods used to determine sex and gender. If the study was done involving an exclusive population, for example in only one sex, authors should justify why, except in obvious cases, e.g., prostate cancer. Authors should define how they determined race or ethnicity and justify their relevance.

ii. Technical Information

Specify the study's main and secondary objectives—usually identified as primary and secondary outcomes. Identify methods, equipment (give the manufacturer's name and address in parentheses), and procedures in suffi-

identifier

unique, persistent

This archived document is no longer current. The current document is available at www.icmje.org.

cient detail to allow others to reproduce the results. Give references to established methods, including statistical methods (see below); provide references and brief descriptions for methods that have been published but are not well-known; describe new or substantially modified methods, give the reasons for using them, and evaluate their limitations. Identify precisely all drugs and chemicals used, including generic name(s), dose(s), and route(s) of administration. Identify appropriate scientific names and gene names.

iii. Statistics

Describe statistical methods with enough detail to enable a knowledgeable reader with access to the original data to judge its appropriateness for the study and to verify the reported results. When possible, quantify findings and present them with appropriate indicators of measurement error or uncertainty (such as confidence intervals). Avoid relying solely on statistical hypothesis testing, such as *P* values, which fail to convey important information about effect size and precision of estimates. References for the design of the study and statistical methods should be to standard works when possible (with pages stated). Define statistical terms, abbreviations, and most symbols. Specify the statistical software package(s) and versions used. Distinguish prespecified from exploratory analyses, including subgroup analyses.

e. Results

Present your results in logical sequence in the text, tables, and figures, giving the main or most important findings first. Do not repeat all the data in the tables or figures in the text; emphasize or summarize only the most important observations. Provide data on all primary and secondary outcomes identified in the Methods Section. Extra or supplementary materials and technical details can be placed in an appendix where they will be accessible but will not interrupt the flow of the text, or they can be published solely in the electronic version of the journal.

Give numeric results not only as derivatives (for example, percentages) but also as the absolute numbers from which the derivatives were calculated, and specify the statistical significance attached to them, if any. Restrict tables and figures to those needed to explain the argument of the paper and to assess supporting data. Use graphs as an alternative to tables with many entries; do not duplicate data in graphs and tables. Avoid nontechnical terms in statistics, such as “randomizing device), “normal,” “significant,” and “sample.”

Separate reporting of data by sex, race, age, and other factors such as age and sex, facilitate pooling across studies and should be routine, unless there are compelling reasons not to stratify reporting, which should be explained.

f. Discussion

It is useful to begin the discussion by briefly summarizing the main findings, and explore possible mechanisms or explanations for these findings. Emphasize the new and important aspects of your study and put your findings in the context of the totality of the relevant literature. State the limitations of your study, and explore the implications of your findings for future research and for clinical practice or policy. Discuss the influence or association of variables, such as sex and/or gender, on your findings, where appropriate, and the limitations of the data. Do not repeat in detail data or other information given in other parts of the manuscript, such as in the Introduction or the Results section.

Link the conclusions with the goals of the study but avoid unqualified statements and conclusions not adequately supported by the data. In particular, distinguish between clinical and statistical significance, and avoid making statements on economic benefits and costs unless the manuscript includes the appropriate economic data and analyses. Avoid claiming priority or alluding to work that has not been completed. State new hypotheses when warranted, but label them clearly.

g. References

i. General Considerations

Authors should provide direct references to original research sources whenever possible. References should not be used by authors, editors, or peer reviewers to promote self-interests. Although references to review articles can be an efficient way to guide readers to a body of literature, review articles do not always reflect original work accurately. On the other hand, extensive lists of references to original work on a topic can use excessive space. Fewer references to key original papers often serve as well as more exhaustive lists, particularly since references can now be added to the electronic version of published papers, and since electronic literature searching allows readers to retrieve published literature efficiently.

Do not use conference abstracts as references: they can be cited in the text, in parentheses, but not as page footnotes. References to papers accepted but not yet published should be designated as “in press” or “forthcoming.” Information from manuscripts submitted but not accepted should be cited in the text as “unpublished observations” with written permission from the source.

Avoid citing a “personal communication” unless it provides essential information not available from a public source, in which case the name of the person and date of communication should be cited in parentheses in the text. For scientific articles, obtain written permission and confirmation of accuracy from the source of a personal communication.

Some but not all journals check the accuracy of all reference citations; thus, citation errors sometimes appear

Published articles should reference the unique, persistent identifiers of the datasets employed.

in the published version of articles. To minimize such errors, references should be verified using either an electronic bibliographic source, such as PubMed, or print copies from original sources. Authors are responsible for checking that none of the references cite retracted articles except in the context of referring to the retraction. For articles published in journals indexed in MEDLINE, the ICMJE considers PubMed the authoritative source for information about retractions. Authors can identify retracted articles in MEDLINE by searching PubMed for “Retracted publication [pt]”, where the term “pt” in square brackets stands for publication type, or by going directly to the PubMed’s list of retracted publications ([www.ncbi.nlm.nih.gov/pubmed?term=retracted+publication+\[pt\]](http://www.ncbi.nlm.nih.gov/pubmed?term=retracted+publication+[pt])).

References should be numbered consecutively in the order in which they are first mentioned in the text. Identify references in text, tables, and legends by Arabic numerals in parentheses.

References cited only in tables or figure legends should be numbered in accordance with the sequence established by the first identification in the text of the particular table or figure. The titles of journals should be abbreviated according to the style used for MEDLINE (www.ncbi.nlm.nih.gov/nlmcatalog/journals). Journals vary on whether they ask authors to cite electronic references within parentheses in the text or in numbered references following the text. Authors should consult with the journal to which they plan to submit their work.

ii. Style and Format

References should follow the standards summarized in the NLM’s International Committee of Medical Journal Editors (ICMJE) Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly Work in Medical Journals: Sample References (www.nlm.nih.gov/bsd/uniform_requirements.html) webpage and detailed in the NLM’s Citing Medicine, 2nd edition (www.ncbi.nlm.nih.gov/books/NBK7256/). These resources are regularly updated as new media develop, and currently include guidance for print documents; unpublished material; audio and visual media; material on CD-ROM, DVD, or disk; and material on the Internet.

h. Tables

Tables capture information concisely and display it efficiently; they also provide information at any desired level of detail and precision. Including data in tables rather than text frequently makes it possible to reduce the length of the text.

Prepare tables according to the specific journal’s requirements; to avoid errors it is best if tables can be directly imported into the journal’s publication software. Number tables consecutively in the order of their first citation in the text and supply a title for each. Titles in tables should be short but self-explanatory, containing information that al-

lows readers to understand the table’s content without having to go back to the text. Be sure that each table is cited in the text.

Give each column a short or an abbreviated heading. Authors should place explanatory matter in footnotes, not in the heading. Explain all nonstandard abbreviations in footnotes, and use symbols to explain information if needed. Symbols may vary from journal to journal (alphabet letter or such symbols as *, †, ‡, §), so check each journal’s instructions for authors for required practice. Identify statistical measures of variations, such as standard deviation and standard error of the mean.

If you use data from another published or unpublished source, obtain permission and acknowledge that source fully.

Additional tables containing backup data too extensive to publish in print may be appropriate for publication in the electronic version of the journal, deposited with an archival service, or made available to readers directly by the authors. An appropriate statement should be added to the text to inform readers that this additional information is available and where it is located. Submit such tables for consideration with the paper so that they will be available to the peer reviewers.

i. Illustrations (Figures)

Digital images of manuscript illustrations should be submitted in a suitable format for print publication. Most submission systems have detailed instructions on the quality of images and check them after manuscript upload. For print submissions, figures should be either professionally drawn and photographed, or submitted as photographic-quality digital prints.

For radiological and other clinical and diagnostic images, as well as pictures of pathology specimens or photomicrographs, send high-resolution photographic image files. Before-and-after images should be taken with the same intensity, direction, and color of light. Since blots are used as primary evidence in many scientific articles, editors may require deposition of the original photographs of blots on the journal’s website.

Although some journals redraw figures, many do not. Letters, numbers, and symbols on figures should therefore be clear and consistent throughout, and large enough to remain legible when the figure is reduced for publication. Figures should be made as self-explanatory as possible, since many will be used directly in slide presentations. Titles and detailed explanations belong in the legends—not on the illustrations themselves.

Photomicrographs should have internal scale markers. Symbols, arrows, or letters used in photomicrographs should contrast with the background. Explain the internal scale and identify the method of staining in photomicrographs.

Figures should be numbered consecutively according to the order in which they have been cited in the text. If a figure has been published previously, acknowledge the

This archived document is no longer current. The current document is available at www.icmje.org.

original source and submit written permission from the copyright holder to reproduce it. Permission is required irrespective of authorship or publisher except for documents in the public domain.

In the manuscript, legends for illustrations should be on a separate page, with Arabic numerals corresponding to the illustrations. When symbols, arrows, numbers, or letters are used to identify parts of the illustrations, identify and explain each one clearly in the legend.

j. Units of Measurement

Measurements of length, height, weight, and volume should be reported in metric units (meter, kilogram, or liter) or their decimal multiples.

Temperatures should be in degrees Celsius. Blood pressures should be in millimeters of mercury, unless other units are specifically required by the journal.

Journals vary in the units they use for reporting hematologic, clinical chemistry, and other measurements. Authors must consult the Information for Authors of the particular journal and should report laboratory information in both local and International System of Units (SI).

Editors may request that authors add alternative or non-SI units, since SI units are not universally used. Drug concentrations may be reported in either SI or mass units, but the alternative should be provided in parentheses where appropriate.

k. Abbreviations and Symbols

Use only standard abbreviations; use of nonstandard abbreviations can be confusing to readers. Avoid abbreviations in the title of the manuscript. The spelled-out abbreviation followed by the abbreviation in parenthesis should be used on first mention unless the abbreviation is a standard unit of measurement.

B. Sending the Manuscript to the Journal

Manuscripts should be accompanied by a cover letter or a completed journal submission form, which should include the following information:

A full statement to the editor about all submissions and previous reports that might be regarded as redundant publication of the same or very similar work. Any such work should be referred to specifically and referenced in the new paper. Copies of such material should be included with the sub-

mitted paper to help the editor address the situation. See also Section III.D.2.

A statement of financial or other relationships that might lead to a conflict of interest, if that information is not included in the manuscript itself or in an authors' form. See also Section II.B.

A statement on authorship. Journals that do not use contribution declarations for all authors may require that the submission letter includes a statement that the manuscript has been read and approved by all the authors, that the requirements for authorship as stated earlier in this document have been met, and that each author believes that the manuscript represents honest work if that information is not provided in another form See also Section II.A.

Contact information for the author responsible for communicating with other authors about revisions and final approval of the proofs, if that information is not included in the manuscript itself.

The letter or form should inform editors if concerns have been raised (e.g., via institutional and/or regulatory bodies) regarding the conduct of the research or if corrective action has been recommended. The letter or form should give any additional information that may be helpful to the editor, such as the type or format of article in the particular journal that the manuscript represents. If the manuscript has been submitted previously to another journal, it is helpful to include the previous editor's and reviewers' comments with the submitted manuscript, along with the authors' responses to those comments. Editors encourage authors to submit these previous communications. Doing so may expedite the review process and encourages transparency and sharing of expertise.

Many journals provide a presubmission checklist to help the author ensure that all the components of the submission have been included. Some journals also require that authors complete checklists for reports of certain study types (for example, the CONSORT checklist for reports of randomized controlled trials). Authors should look to see if the journal uses such checklists, and send them with the material they are requested.

The manuscript must be accompanied by permission to reproduce previously published material, use previously published illustrations, report information about identifiable persons, or to acknowledge people for their contributions.

e.g.